Tel: 86-21-68453907 Fax: 86-21-58356660 Email: info@zncbio.com Website: www.zncbio.com

CERTIFICATE OF ANALYSIS

Product Name: Vitamin B6

Pyridoxine Hydrochloride Specification:

BP2021/USP43/FCC11

Batch Number: 20230919

Batch Quantity: 1500KG

Manufacture Date: 2023-09-19 Expiry Date: 2025-09-18

| ITEMS | SPECIFICATION | RESULTS |
|------------------------|---|---|
| Identification | (1) should be positive reaction(2) Consistent with the reference IR spectra. | (1) Positive reaction(2) consistent with the reference IR spectra. |
| Appearance | White or almost white crystalline powder | Conforms |
| PH | 2.4~3.0 | 2.71 |
| Appearance of solution | Clear, not more intense than Y7 | Clear, not more intense than Y7 |
| Loss on drying | 0.5% Max | 0.15% |
| Assay(on dry basis) | 99.0%~101.0% | 99.7% |
| Residue on Ignition | 0.10% Max | 0.06% |
| Chloride content | 16.9% ~ 17.6% | 17.3% |
| Total Impurities | T0.20% Max | 0.013% |
| Unspecified impurities | 0.10% Max | 0.009% |
| B impurity | 0.15% Max | ND |
| Total plate count | 1000cfu/g Max | Conforms |
| Yeast and mold | 100cfu/g Max | Conforms |
| Salmonella | Negative | Conforms |
| E-Coli | Negative | Conforms |
| S. Aureus | Negative | Conforms |
| Conclusion | This batch complies with the specification of BP2021/USP43/FCC11 | |
| Storage | Preserve in a tightly closed container protected from light. | |

Shawn Rick Whip
Analyst Approved Header of QC